
Lines

Floating light

Lines is a pendant fitting that with only 20mm height seems to float in the air. T16 lamps combined with effective reflectors provide highly efficient lighting while preventing glare. Lines constitutes a simple and discreet solution ideal for office environments.

Zwevende lijnen

Lines is een pendelend armatuur dat door haar hoogte van slechts 20mm lijkt te zweven in de lucht. T16 lampen in combinatie met speciaal ontwikkelde reflectoren zorgen voor een efficiënte en verblindingsvrije verlichting. Lines is een eenvoudige en discrete verlichtingsoplossing die ideaal is voor kantoor omgevingen.

Project Dobergo

Architect Dobergo

Location Lossburg-Betzweiler, Germany









Photographer Michael Voit



Lines



Lines indirect/direct

name	Lines indirect/direct	Lines indirect/direct	Lines indirect/direct	Lines indirect/direct	naam
lamp type	T16	T16	T16	T16	lamptype
natural anodised	vkr267239	vkr267254	vkr267439	vkr267454	natural anodised
					
LxW	1000x120x25	1300x120x25	1900x120x25	2500x120x25	LxB
H max.	1600	1600	1600	1600	H max
fitting	G5	G5	G5	G5	lampvoet
max. watt	2x21/39W	2x28/54W	4x21/39W	4x28/54W	max. watt
lamp incl.	2x39W	2x54W	4x39W	4x54W	incl. lamp
voltage	230V	230V	230V	230V	voltage
symbol					symbool
gear	electr. incl.	electr. incl.	electr. incl.	electr. incl.	VSA
IP	20	20	20	20	IP
class	1	1	1	1	klasse
orientation	↑ ↓	↑ ↓	↑ ↓	↑ ↓	oriëntatie
required					noodzakelijk
transparant cable	vkr217121	vkr217121	vkr217121	vkr217121	transp. kabel
silver textile cable	vkr217122	vkr217122	vkr217122	vkr217122	zilver textiel kabel
optional					optioneel
ceilingbox	vkr217120*	vkr217120*	vkr217120*	vkr217120*	plafonddoos

Remark









*Required if used on a non-Kreon ceiling.

Opmerking

*Verplicht indien geplaatst op een niet Kreon plafond.



Lines indirect

name	Lines indirect	Lines indirect	Lines indirect	Lines indirect	naam
lamp type	T16	T16	T16	T16	lamptype
natural anodised	vkr257239	vkr257254	vkr257439	vkr257454	natural anodised
					
LxW	1000x120x25	1300x120x25	1900x120x25	2500x120x25	LxB
H max.	1600	1600	1600	1600	H max
fitting	G5	G5	G5	G5	lampvoet
max. watt	2x21/39W	2x21/54W	4x21/39W	4x28/54W	max. watt
lamp incl.	2x39W	2x54W	4x39W	4x54W	incl. lamp
voltage	230V	230V	230V	230V	voltage
symbol					symbool
gear	electr. incl.	electr. incl.	electr. incl.	electr. incl.	VSA
IP	20	20	20	20	IP
class	1	1	1	1	klasse
orientation	↑	↑	↑	↑	oriëntatie
required					noodzakelijk
transparant cable	vkr217121	vkr217121	vkr217121	vkr217121	transp. kabel
silver textile cable	vkr217122	vkr217122	vkr217122	vkr217122	zilver textiel kabel
optional					optioneel
ceilingbox	vkr217120*	vkr217120*	vkr217120*	vkr217120*	plafonddoos

Remark

*Required if used on a non-Kreon ceiling.

Opmerking

*Verplicht indien geplaatst op een niet Kreon plafond.