


kreon installation manual


technics & dimensions

	name	reference	voltage VAC	frequency	led current	nom. input current driver	max. power	power factor	LxHxD
	Holon 60 pendant gear incl HO	KR96246X-XXXX-SP/SSP-XX	220-240V	0/50-60Hz	300mA	0.05A	10.2W	0.95	185x3000x65
	Holon 60 pendant gear incl HO	KR96246X-XXXX-FL/WFL-XX	220-240V	0/50-60Hz	350mA	0.05A	11.9W	0.95	185x3000x65

1. light source/gear information


light source containing product

the light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



gear containing product

the gear contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person



Please make sure the main voltage is disconnected before proceeding! ⚡

2 . installation


For installation of the fixture consult the installation manual of the suspension accessory.

ceiling connection box round Ø45x52 (gear excl.)	KR79111X
ceiling connection box round Ø65x52 (gear excl.)	KR79121X
ceiling connection box round Ø120x30 (gear excl.)	KR79141X
ceiling gear box round Ø65x155 (gear incl.)	KR79123X
ceiling gear box round Ø120x30 (gear incl.)	KR79143X
ceiling gear box Ø250x30 (gear incl.)	KR79163X
ceiling gear box long 500x50x30 (gear incl.)	KR79184X


kreon replacement parts






replacement parts

exploded view



kreon light source information

Fixture reference	LED reference	Energy Efficiency Class	QR-code	EPREL link
KR96246X-9027-SSP-XX KR96246X-9027-SP-XX	KR7000104380	F		https://eprel.ec.europa.eu/qr/1094919
KR96246X-9030-SSP-XX KR96246X-9030-SP-XX	KR7000104381	F		https://eprel.ec.europa.eu/qr/981182
KR96246X-9035-SSP-XX KR96246X-9035-SP-XX	KR7000104382	F		https://eprel.ec.europa.eu/qr/1093447
KR96246X-9040-SSP-XX KR96246X-9040-SP-XX	KR7000104383	F		https://eprel.ec.europa.eu/qr/1093448
KR96246X-9827-SSP-XX KR96246X-9827-SP-XX	KR7000104426	G		https://eprel.ec.europa.eu/qr/954429
KR96246X-9830-SSP-XX KR96246X-9830-SP-XX	KR7000104427	G		https://eprel.ec.europa.eu/qr/1093449
KR96246X-9835-SSP-XX KR96246X-9835-SP-XX	KR7000104428	F		https://eprel.ec.europa.eu/qr/1093450
KR96246X-9840-SSP-XX KR96246X-9840-SP-XX	KR7000104429	F		https://eprel.ec.europa.eu/qr/1093451
KR96246X-9027-FL-XX KR96246X-9027-WFL-XX	KR7000104093	F		https://eprel.ec.europa.eu/qr/1093453
KR96246X-9030-FL-XX KR96246X-9030-WFL-XX	KR7000104094	F		https://eprel.ec.europa.eu/qr/1093454
KR96246X-9035-FL-XX KR96246X-9035-WFL-XX	KR7000104095	F		https://eprel.ec.europa.eu/qr/1093455

Fixture reference	LED reference	Energy Efficiency Class	QR-code	EPREL link
KR96246X-9040-FL-XX KR96246X-9040-WFL-XX	KR7000104096	E		https://eprel.ec.europa.eu/qr/1093470
KR96246X-9827-FL-XX KR96246X-9827-WFL-XX	KR7000104430	F		https://eprel.ec.europa.eu/qr/963167
KR96246X-9830-FL-XX KR96246X-9830-WFL-XX	KR7000104431	F		https://eprel.ec.europa.eu/qr/1037575
KR96246X-9835-FL-XX KR96246X-9835-WFL-XX	KR7000104432	F		https://eprel.ec.europa.eu/qr/1093457
KR96246X-9840-FL-XX KR96246X-9840-WFL-XX	KR7000104433	F		https://eprel.ec.europa.eu/qr/1093458