


# kreon    raga

kreon raga is a geometrically shaped exterior bollard luminaire complemented by white and black marble or steel that reflect its mass. The units are sealed to IP66 and are fitted with linear LEDs or spoon shaped reflectors to provide an attractive surrounding glow.

The light beam is optimized for illuminating paths and passageways. Additional ground pins and concrete anchors ensure a firm installation in any type of ground. Sealants and weatherproof coatings protect kreon raga against acid rain and salt.

**Project** kreon headquarters  
**Location** Oudsbergen, Belgium



**Architect** kreon / Conix RBDM Architects  
**Photographer** kreon





























	raga horizontal		<u>KR904005</u>	①					
			<u>KR904006</u>	②					
	raga horizontal wide beam		<u>KR904102</u>	③					
		■ Optional accessories							
		Anchor		<u>KR704000</u>	Concrete anchor				
				<u>KR704004</u>	Flooring anchor				


		CRI	CCT	Voltage	Wattage	Fixture lumen
❶	LED	CRI80	2700K	230V	12W	685lm
❷	LED	CRI80	2700K	230V	12W	540lm
❸	LED	CRI90	2700K/3000K	230V	12W	449lm

NOTAS

- ❶ ● Metallo nero  
○ Carrara bianco marble  
● Nero marquina marble

Gear included (ON/OFF).  
IP66

Concrete anchor



Flooring anchor

