

# belux ypsilon

Date: \_\_\_\_\_ Customer: \_\_\_\_\_

Project: \_\_\_\_\_

Type: \_\_\_\_\_ Qty: \_\_\_\_\_

ypsilon



**KU YPS- SL- \_\_\_\_\_ - LED \_\_\_\_\_ - 80 - INT**

kreon belux ypsilon	mounting	stand finish	light source	CCT	CRI	driver
<b>YPS</b> Ypsilon	<b>SL</b> standing lamp	<b>AL</b> aluminum anodized <b>WH</b> white <b>BK</b> black anodized <b>CH</b> champaign anodized	<b>LED</b>	<b>27</b> 2700K	<b>80</b> CRI80	<b>INT</b> integral switch dimming

Ordering Example: **KUYPS-SL-CH-LED-27-80-INT**

\* This product is intended for indoor use only.

# belux ypsilon

ypsilon



## Description

belux ypsilon is a discrete but energy-saving solution to illuminate the walls of rooms and thus visually enlarge it. The plug-in lamp also solves the problem of dark ceilings where they do not reflect light. Modern electronics and its stylish finishes, along with the distinctive design, ensure high-quality illumination and a long operating life

## Mounting

floor lamp. ypsilon available in an aluminum base.

## Material

ypsilon is available in aluminum, white, champaign or black finish.

## Optical system / LED's

Available in 2700K, CRI 80+.

## Controls / Dimming

integral dimming.


## ETL / UL

Testing pending by ETL for installation in the US and Canada. Ingress Protection - IP20



# belux ypsilon

## dimensions




## ypsilon light direction

Luminaire light direction can be rotated 360 degrees without moving the base




## ypsilon base




## Photometry

**Report Number: BE407100**  
**Delivered lumens: 297lm**  
**CCT: 2700K**  
**CRI: 80+**  
**Power: 35W**



## operating

on/off



dim

100% - 10%

